

SAFETY DATA SHEET



Aurora™ 40 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.02.2022	50000493	Date of first issue: 19.02.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Aurora™ 40 WG

Other means of identification

Product code 50000493

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Herbicide

Recommended restrictions
on use : Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Chemicals (Pty) Ltd
Company Registration Number: 1988/001451/07
West End Office Park, Building C
Cnr. West Ave & Hall Street
Centurion, 0014

E-mail address: SDS-Info@fmc.com (E-Mail General Information)

1.4 Emergency telephone

For leak, fire, spill or accident emergencies, call:
South Africa: 0-800-983-611 (CHEMTREC)

Medical emergency:
For any emergency or poisoning contact: Griffon Poison Information Centre (24 hrs) - +27-(0)-82-446-8946

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Category 1 H400: Very toxic to aquatic life.

SAFETY DATA SHEET



Aurora™ 40 WG

Version 2.0 Revision Date: 17.02.2022 SDS Number: 50000493 Date of last issue: -
Date of first issue: 19.02.2019

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P273 Avoid release to the environment.
Response:
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
carfentrazone-ethyl (ISO)	128639-02-1 607-309-00-5	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 100	>= 30 - < 50
D-Glucopyranose, oligomers, decyl octyl glycosides	68515-73-1 500-220-1	Eye Dam. 1; H318	>= 1 - < 3

Aurora™ 40 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.02.2022	50000493	Date of first issue: 19.02.2019

For explanation of abbreviations see section 16.

SECTION 4: First aid measures**4.1 Description of first-aid measures**

- | | |
|------------------------|---|
| General advice | : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| If inhaled | : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|

SECTION 5: Firefighting measures**5.1 Extinguishing media**

- | | |
|--------------------------------|--|
| Suitable extinguishing media | : Dry chemical, CO ₂ , water spray or regular foam. |
| Unsuitable extinguishing media | : Do not spread spilled material with high-pressure water streams. |

5.2 Special hazards arising from the substance or mixture

- | | |
|---------------------------------------|---|
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Nitrogen oxides (NO _x)
Carbon oxides
Chlorine compounds
Fluorine compounds |

5.3 Advice for firefighters

- | | |
|--|--|
| Special protective equipment for fire-fighters | : Firefighters should wear protective clothing and self-contained breathing apparatus. |
|--|--|

Aurora™ 40 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.02.2022	50000493	Date of first issue: 19.02.2019

- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
- Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
-

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

- Personal precautions : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Avoid dust formation.
Never return spills in original containers for re-use.
For disposal considerations see section 13.

6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Avoid formation of respirable particles.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Provide appropriate exhaust ventilation at places where dust

SAFETY DATA SHEET



Aurora™ 40 WG

Version 2.0 Revision Date: 17.02.2022 SDS Number: 50000493 Date of last issue: -
Date of first issue: 19.02.2019

is formed.

Hygiene measures : General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not breathe dust or spray mist.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : Keep in a dry place.
No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
silica gel	Workers	Inhalation	Long-term systemic effects	4 mg/m3
D-Glucopyranose, oligomers, decyl octyl glycosides	Workers	Inhalation	Long-term systemic effects	420 mg/m3
	Workers	Dermal	Long-term systemic effects	595000 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	124 mg/m3
	Consumers	Dermal	Long-term systemic effects	357000 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	35.7 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
D-Glucopyranose, oligomers, decyl octyl glycosides	Fresh water	0.176 mg/l
	Sea water	0.0176 mg/l
	Fresh water sediment	1.516 mg/kg dry weight (d.w.)
	Sea sediment	0.152 mg/kg dry weight (d.w.)
	Soil	0.654 mg/kg dry weight (d.w.)
	Intermittent use (freshwater)	0.27 mg/l

SAFETY DATA SHEET



Aurora™ 40 WG

Version 2.0	Revision Date: 17.02.2022	SDS Number: 50000493	Date of last issue: - Date of first issue: 19.02.2019
----------------	------------------------------	-------------------------	--

	Oral	111.11 mg/kg
--	------	--------------

8.2 Exposure controls

Personal protective equipment

Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles
Hand protection	:	
Material	:	Protective gloves
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	:	Protective suit Dust impervious protective suit Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter.
Protective measures	:	Plan first aid action before beginning work with this product.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	powder
Color	:	brown No data available
Odor	:	musty slight
Odor Threshold	:	No data available
pH	:	7.5 (25 °C) Concentration: 5.44 g/l
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

SAFETY DATA SHEET



Aurora™ 40 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.02.2022	50000493	Date of first issue: 19.02.2019

Vapor pressure	:	Not applicable
Density	:	0.55 g/cm ³
Solubility(ies)	:	
Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable

9.2 Other information

Self-ignition	:	No data available
---------------	---	-------------------

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid	:	Avoid extreme temperatures Avoid dust formation.
---------------------	---	---

No data available

10.5 Incompatible materials

Materials to avoid	:	Avoid strong acids, bases, and oxidizers.
--------------------	---	---

Not applicable

Aurora™ 40 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.02.2022	50000493	Date of first issue: 19.02.2019

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

- | | |
|---------------------------|---|
| Acute oral toxicity | : LD50 (Rat): > 5,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity |
| Acute inhalation toxicity | : LC0 (Rat): > 5.72 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality
Highest attainable concentration. |
| Acute dermal toxicity | : LD50 (Rat): > 5,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity |

Components:**carfentrazone-ethyl (ISO):**

- | | |
|---------------------------|--|
| Acute oral toxicity | : LD50 (Rat): 5,143 mg/kg |
| Acute inhalation toxicity | : LC50 (Rat): > 5.09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : LD50 (Rat): > 4,000 mg/kg |

D-Glucopyranose, oligomers, decyl octyl glycosides:

- | | |
|-----------------------|--|
| Acute oral toxicity | : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 423 |
| Acute dermal toxicity | : LD50 (Rabbit, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402 |

Skin corrosion/irritation

Not classified based on available information.

Product:

- | | |
|--------|----------------------|
| Result | : No skin irritation |
|--------|----------------------|

SAFETY DATA SHEET



Aurora™ 40 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.02.2022	50000493	Date of first issue: 19.02.2019

Components:

carfentrazone-ethyl (ISO):

Species	:	Rabbit
Result	:	No skin irritation

D-Glucopyranose, oligomers, decyl octyl glycosides:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Result	:	No eye irritation

Components:

carfentrazone-ethyl (ISO):

Species	:	Rabbit
Result	:	slight irritation

D-Glucopyranose, oligomers, decyl octyl glycosides:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye
Remarks	:	Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Result	:	Does not cause skin sensitization.
--------	---	------------------------------------

Components:

carfentrazone-ethyl (ISO):

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

D-Glucopyranose, oligomers, decyl octyl glycosides:

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.

SAFETY DATA SHEET



Aurora™ 40 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.02.2022	50000493	Date of first issue: 19.02.2019

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Genotoxicity in vitro : Result: negative

Genotoxicity in vivo : Result: negative

D-Glucopyranose, oligomers, decyl octyl glycosides:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Test Type: gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male)
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

D-Glucopyranose, oligomers, decyl octyl glycosides:

Effects on fertility : Test Type: one-generation reproductive toxicity
Species: Rat, male and female
Application Route: Oral

SAFETY DATA SHEET



Aurora™ 40 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.02.2022	50000493	Date of first issue: 19.02.2019

Dose: 0, 100, 300, 1000 mg/kg bw
General Toxicity Parent: NOAEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 421
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Species: Rat, females
Application Route: Oral
Dose: 0, 100, 300, 1000 mg/kg bw
General Toxicity Maternal: NOAEL: 1,000 mg/kg bw/day
Developmental Toxicity: NOAEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

D-Glucopyranose, oligomers, decyl octyl glycosides:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

D-Glucopyranose, oligomers, decyl octyl glycosides:

Species : Rat, male and female
NOAEL : 1000 mg/kg bw/day
Application Route : Oral
Exposure time : 90d
Dose : 0, 250, 500, 1000 mg/kg bw
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

Aurora™ 40 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.02.2022	50000493	Date of first issue: 19.02.2019

SECTION 12: Ecological information**12.1 Toxicity****Product:**

Toxicity to algae/aquatic plants : NOEC (algae): 0.0063 mg/l
Exposure time: 72 h

ErC50 (algae): 0.067 mg/l
Exposure time: 72 h

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:**carfentrazone-ethyl (ISO):**

Toxicity to fish : LC50 (Fish): 1.6 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 9.8 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (algae): 0.012 mg/l
Exposure time: 72 h

NOEC (algae): 0.001 mg/l
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 0.0187 mg/l
Exposure time: 21 d
Species: Fish

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.22 mg/l
Exposure time: 21 d
Species: Crustaceans

M-Factor (Chronic aquatic toxicity) : 100

D-Glucopyranose, oligomers, decyl octyl glycosides:

Toxicity to fish : LC0 (Danio rerio (zebra fish)): 59.3 mg/l
Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

SAFETY DATA SHEET



Aurora™ 40 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.02.2022	50000493	Date of first issue: 19.02.2019

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 21 mg/l
Exposure time: 72 h
Test Type: static test

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 560 mg/l
Exposure time: 6 h
Test Type: Growth inhibition

Toxicity to fish (Chronic toxicity) : NOEC: 1.8 mg/l
Exposure time: 28 d
Species: Danio rerio (zebra fish)
Method: OECD Test Guideline 204
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : LOEC: 2 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC0: >= 654 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207
Remarks: Based on data from similar materials

12.2 Persistence and degradability

Components:

carfentrazone-ethyl (ISO):

Biodegradability : Result: Not readily biodegradable.

D-Glucopyranose, oligomers, decyl octyl glycosides:

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Readily biodegradable.
Method: OECD Test Guideline 301E

12.3 Bioaccumulative potential

Components:

D-Glucopyranose, oligomers, decyl octyl glycosides:

Partition coefficient: n-octanol/water : log Pow: 1.72 (40 °C)
pH: 6.5
Remarks: Based on data from similar materials

12.4 Mobility in soil

No data available

SAFETY DATA SHEET



Aurora™ 40 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.02.2022	50000493	Date of first issue: 19.02.2019

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

IMDG : UN 3077

IATA : UN 3077

14.2 UN proper shipping name

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Carfentrazone-ethyl)

SAFETY DATA SHEET



Aurora™ 40 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.02.2022	50000493	Date of first issue: 19.02.2019

IATA : Environmentally hazardous substance, solid, n.o.s.
(Carfentrazone-ethyl)

14.3 Transport hazard class(es)

IMDG : 9

IATA : 9

14.4 Packing group

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET



Aurora™ 40 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.02.2022	50000493	Date of first issue: 19.02.2019

TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. ETHYL (RS)-2-CHLORO-3-{2-CHLORO-5-[4-(DIFLUOROMETHYL)-4,5-DIHYDRO-3-METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-YL]-4-FLUOROPHENYL}PROPIONATE
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

15.2 Chemical Safety Assessment

SECTION 16: Other information

Full text of H-Statements

H318	:	Causes serious eye damage.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China;

SAFETY DATA SHEET



Aurora™ 40 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.02.2022	50000493	Date of first issue: 19.02.2019

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Other information :

Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

ZA / EN